

STOCK CATALOG



www.acimechsales.com

2026

TABLE of CONTENTS

MANUFACTURERS REPRESENTED	1
GRILLES	2-4
DIFFUSERS	5-8
SLOTS + PLENUMS	9
NOISE CONTROL	10
FLEX DUCT.....	10
FRAMES.....	10
TERMINAL UNITS & WATER COILS	11
ADAPTERS.....	12
ACCESS DOORS.....	13
ACTUATORS.....	13
CONTROL DAMPERS.....	14
FIRE DAMPERS.....	14-15
FIRE SMOKE DAMPERS.....	16
BACKDRAFT DAMPERS.....	17
VOLUME DAMPERS.....	17-18
BALANCING DAMPERS.....	19
LOUVERS.....	19
CURBS + VENTS.....	19
EXHAUST FANS.....	20
INLINE FANS.....	20
CIELING VENTILATION FANS.....	21
FILTERS.....	22-24
EVAPORATIVE MEDIA	24
VIBRATION ISOLATION + SEISMIC	25-27
HEATERS.....	27
SUSPENSION SYSTEMS.....	28
MINI SPLITS + VRF.....	29-33
VFDS + STARTERS.....	33-34
THERMOSTATS, CONTROLS + GAUGES.....	35
ACI TERMS AND CONDITIONS.....	36

MANUFACTURERS REPRESENTED

Airsys	Gree
AJ Manufacturing	Grip Lock Systems
Advanced Radiant	Herrmidifier
Air Concepts	Kees, Inc.
Airdale	King Electric
Airsan	Kinghome
Airware	Koch Filter
Aldes	Lapp Millwright
American Louver	Markel
AMPCO	Metropolitan Air
Antec Controls	Modine
Atco Rubber Products	Monoxivent
Atherion by Modine	Neptronic
Big Ass Fans	Panasonic
BPE	PennBarry
Cadet	Powered Aire
Camfil	Price Industries
Camfil APC	Qmark
Captive Aire	Raymon-Donco
Car-Mon Products	Reliable Products
Carrier	Reversomatic
Caspr	Reznor
CDI Custom Curbs	Rupp Air
Central Blower	Ruskin
CFM Continental Fan	Seiho International Inc.
ChillMaster	Solar & Palau
Coil Company	SolutionAir
Delta Breez	Steril-Aire
Deynamic Air Technology (DAT)	The Pate Company
DFP - Denlar Fire Protection	Thermal Products Corporation
DST America	Toshiba Carrier
Ductsox	Twin City Fans
Dwyer Instruments	United Enertech
Effective HVAC	Verasys
Envirco	Vibro-Acoustics
Fantech	Victaulic
Flexmaster	Weather-Rite
Franklin Electric	Yaskawa
FRP by Monoxivent	Young Regulator
Gripple	Zoo Fans
Halton	

10

Perforated Return Grille

Price Industries



- Surface Mount
- Steel
- White Finish

Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	16x16

10FF

- Filter Frame 2"
- Border 3 - Surface Mount
- 24"x24" Face
- White Finish

Sizes (LxW)
20x20

80

Egg Crate Grille

Price Industries



- Surface Mount
- Steel
- White Finish
- Screwholes

Sizes (LxW)				
06x06	08x08	10x10	12x12	14x10
14x14	16x16	18x12	18x18	20x20
22x10	22x22	24x12	24x24	48x24

80/3

Egg Crate Grille Border 3

Price Industries

- T-Bar
- 24"x24"
- Steel
- White Finish

Sizes (LxW)			
06x06	08x08	10x10	12x12
14x14	16x16	18x18	20x20

80 NSH

Egg Crate Grille No Screw Holes

Price Industries

- No Screw holes
- T-Bar

Sizes (LxW)			
22x10	22x22	24x24	46x22

80CO

Egg Crate Grille Core Only

Price Industries

- T-Bar
- Raw Egg Crate
- Core Only

Sizes (LxW)			
24x06	24x12	24x24	48x24

80FF

Egg Crate Grille Filter Frame

Price Industries




- Filter Frame 2"
- Border 3 - T-bar
- Surface Mount
- 24"x24" Face
- 1/4 Turn Quick Release

Sizes (LxW)
20x20

520

Steel Supply Grille

Price Industries



- Double Deflection
- Front Blades Parallel to Short Demension
- Surface Mount
- With OBD

Sizes (LxW)					
06x04	06x06	08x04	08x06	08x08	10x04
10x06	10x08	10x10	12x04	12x06	12x08
12x10	12x12	14x04	14x06	14x08	14x10
14x12	14x14	16x04	16x06	16x08	16x10
16x12	16x14	16x16	18x06	18x08	18x10
18x12	18x14	18x16	18x18	20x06	20x08
20x10	20x12	20x14	20x16	20x20	22x06
22x08	22x10	22x12	24x06	24x08	24x10
24x12	24x14	24x16	24x18	24x20	24x24
30x06	30x08	30x10	30x12	30x14	30x16
30x18	30x20	30x24	36x06	36x08	36x10
36x12	36x16	36x18	36x24	48x06	48x24

530

Steel Return Grille

Price Industries



- Single Deflection
- Blades Parallel to Long Demension
- Surface Mount

Sizes (LxW)					
06x04	06x06	08x04	08x06	08x08	10x04
10x06	10x08	10x10	12x04	12x06	12x08
12x10	12x12	14x04	14x06	14x08	14x10
14x12	14x14	16x06	16x08	16x10	16x12
16x14	16x16	18x06	18x08	18x10	18x12
18x14	18x16	18x18	20x06	20x08	20x10
20x12	20x14	20x16	20x18	20x20	22x10
22x22	24x06	24x08	24x10	24x12	24x14
24x16	24x18	24x20	24x24	30x06	30x08
30x10	30x12	30x14	30x16	30x18	30x20
30x24	30x30	36x06	36x08	36x10	36x12
36x14	36x16	36x18	36x24	46x22	48x10
48x24					

GRILLES

530/3

Steel Return Grille

Price Industries

- Border 3 - T-bar
- 24x24" Face

Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	16x16
18x18	20x20	

530FF

Steel Return Grille Filter Frame

Price Industries

- Border 3 - T-bar
- 2" Filter Frame
- 24x24" face
- 1/4 Turn Quick Release

Sizes (LxW)
20x20

530NSH

Steel Return Grille No Screwholes

Price Industries

- Border 3
- T-bar
- No Screwholes

Sizes (LxW)			
10X10	22X10	22X22	46X22

STG

Steel Transfer Door Grille

Price Industries



- Border Frame
- Surface Mount

Sizes (LxW)		
12x12	18x12	18x18
24x12	24x24	

SPGVH

Double Deflection Spiral Grille

Raymon-Donco



- Curved Face
- Surface Mount
- Neck Size - 20"x4"
- Vertical Front Blades
- Double Deflection

Duct Diameter		
6"	8"	10"
12"	14"	16"

DIFFUSERS

SMCD/1

Modular Core Diffuser

Price Industries



- Border 1
- Surface Mount
- Modular Core

Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	

SMCD/3

Modular Core Diffuser

Price Industries

- Border 3
- T-Bar
- Modular Core

Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	16x16
18x18		

- Border 3
- Round Neck
- T-bar
- Modular Core

Inlet Size	Face Size
6	06x06
8	08x08
10	10x10
12	12x12
14	14x14
16	16x16
18	18x18

SMCD/6

Modular Core Diffuser

Price Industries

- Border 6
- Surface Mount
- Modular Core
- Beveled Face

Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	16x16
18x18	20x20	

DIFFUSERS

SPD

Square Plaque Diffuser

Price Industries



- 12x12 Face
- Recommended Application: T-bar
- Border 31

Neck Inlet Size		
6"	8"	

- 24x24 Face
- Border 31
- T-Bar

Neck Inlet Size		
6"	8"	10"
12"	14"	15"

PDDR

Perforated Return Diffuser

Price Industries



- 24x24 Face
- Border 3
- T-Bar
- Extended Beaded neck

Neck Inlet Size		
6"	8"	10"
12"	14"	16"

- Border 3
- T-Bar

Sizes (LxW)		
22x10	22x22	46x22

PDC

Perforated Face Supply Diffuser

Price Industries




- Border 3
- Extended Beaded Neck

Neck Inlet Size		
6"	8"	10"
12"	14"	16"

PDMC

Perforated Face Supply Diffuser - Modular Core

Price Industries



- Border 3
- T-Bar


Sizes (LxW)		
06x06	08x08	10x10
12x12	14x14	16x16
	18X18	

DIFFUSERS

SMD/1

Modular Louvered Face Diffuser

Price Industries



- Border 1
- Surface Mount

Core Style & Sizes (LxW)

A4-06X06	A4-09X09
A4-12X12	A4-15X15

Core Style Ledger

S1 - 1 WAY
S2 - 2 WAY
G2 - 2 WAY CORNER
A3 - 3 WAY
A4 - 4 WAY

SMD/3

Modular Louvered Face Diffuser

Price Industries

- Border 3
- T-Bar

Core Style & Sizes (LxW)

A3 06X06	A3 09X09	A3 12X12	A4 06X06
A4 09X09	A4 12X12	A4 15X15	A4 18X18
A4 21X21	G2 06X06	G2 09X09	G2 12X12
S1 06X06	S1 09X09	S1 15X15	S1 18X18
S2 09X09	SI 12X12		

SMD/6

Modular Louvered Face Diffuser

Price Industries

- Border 6
- Surface Mount
- Beveled Face

Core Style & Sizes (LxW)

A3 09X09	A3 12X12	A3 15X15	A3 18X18
A4 06X06	A4 09X09	A4 12X12	A4 15X15
A4 18X18	G2 09X09	G2 12X12	G2 15X15
G2 18X18	S1 06X06	S1 09X09	S1 15X15
S1 18X18	S2 06X06	S2 09X09	S2 12X12

SMDA

Adjustable Modular Louvered Face Diffuser

Price Industries



- Border 3
- T-Bar
- Adjustable Throw Pattern Deflector

Core Style & Sizes (LxW)


A4 09X09	A4 12X12	A4 15X15
----------	----------	----------

DIFFUSERS

SCD

Square Cone Diffuser

Price Industries



- Recommended Application: T-Bar
- Extended Beaded Neck
- Removeable Core
- Face: 24"x24"

Neck Inlet Size		
6"	8"	10"
12"	14"	15"

- Face: 12"x12"

Neck Inlet Size	
6"	8"

SCDA

Square Cone Diffuser Adjustable

Price Industries

- Border 31
- Recommended Application: T-Bar
- Extended Beaded Neck
- Removeable Core
- 24"x24"

Neck Inlet Size		
6"	8"	10"
12"	14"	15"

RCDA

Adjustable Round Cone Diffuser

Price Industries



- Exposed
- Surface Mount

Neck Inlet Size		
6"	8"	10"
12"	14"	16"
18"	20"	

RCDE

Two Position Round Cone Diffuser

Price Industries



- Surface Mount

Neck Inlet Size		
6"	8"	10"
12"	14"	16"
18"	20"	

TF-HC

Vari-Flow Thermal VAV Diffuser

Price Industries



- T-Bar
- 24"x24" Face
- VAV Cooling + Heating

Neck Inlet Size	
6"	8"
10"	12"

SLOT DIFFUSERS + PLENUMS

SDS100

Linear Slot Diffuser

Price Industries



- Surface Mount
- Concealed Fastening
- Border 2
- WW End Flanges

Length	# of Slots	Duct Width
24"	1	2 1/4 in
48"	1	2 1/4 in
48"	2	4 1/4 in
48"	3	6 in
48"	4	7 3/4 in

MPI

Plenums for Linear Slot Diffusers

Price Industries

- For use with Border 2 Round Inlets

Round Inlet Size	LxW
8"	24x02
8"	48x01
10"	48x02
12"	48x03
12"	48x04

SDBI100

Square Plenum for Linear Slots

Price Industries




- Low Profile
- Insulated Plenums

Oval Inlet Size	LxW
8"	48x02
10"	48x02

K100

Inlet Plenum Slot Diffuser

Kees



- T-Bar
- 1" Slots
- Surface Mount Frames
- Available for Slots

Inlet Size	LxW
6"	24x01
8"	24x02
8"	28x02
8"	48x01
8"	48x02
10"	24x03
10"	24x04
10"	48x02
12"	48x03
12"	48x04

Touch Up Paint

Spray Cans for Diffusers

Product	Color
Spray 12	White
Spray 15	Silver
Spray 17	Black

APF

Aluminum Plaster Frame



Size (LxW)		
12x12	24x12	24x24

EQT Earthquake Tab



VCS3

Opposed Blade Damper

Price Industries



For GRDs Only


Sizes (LxW)						
06x04	06x06	08x04	08x06	08x08	09x09	10x04
10x06	10x08	10x10	12x04	12x06	12x08	12x10
12x012	14x04	14x06	14x08	14x10	14x12	14x14
15x15	16x04	16x06	16x08	16x10	16x12	16x16
18x06	18x08	18x10	18x12	18x18	20x06	20x10
20x20	20x10	22x12	22x22	24x06	24x08	24x10
24x12	24x14	24x16	24x18	24x24		

NOISE CONTROL

RAC

Return Air Canopy

Price Industries



- Fiberglass Liner
- Return Air Noise Solution
- Improves Speech Privacy

Sizes (LxW)	
12x12	24x14
24x24	48x24

FLEX DUCT

70 Series

Flexible Duct



- Double Ply Polyester Core
- 36" Flex Ties


Sizes (LxW)		
6"x25'	8"x25'	10"x25'
12"x25'	14"x25'	16"x25'
18"x25'	20"x25'	

TERMINAL UNITS & WATER COILS

RDV

Air Volume Control Valve

Price Industries



- Protective Shroud Included

Unit Size		
6"	8"	10"
12"	14"	16"

SDV

Single Duct Terminal Unit

Price Industries




- Access Door
- 1/2" Fiber Free Liner
- Protective Shroud Included

Unit Size		
4"	5"	6"
7"	8"	9"
10"	12"	14"
16"	40"	

WC

Water Coils for SDVs

Price Industries



1 Row Coil Sizes		
4"	5"	6"
7"	8"	9"
10"	12"	14"
16"		

2 Row Coil Sizes		
6"	8"	10"
12"	14"	16"
40"		


3 Row Coil Sizes		
6"	8"	10"
12"	14"	

ADAPTERS

SRA

Square to Round Adapter Cans

Raymon Donco



- 2.5" Collar
- Galvanized Steel
- Black Interior

	4"	5"	6"	7"	8"	9"	10"	12"	14"	16"	18"	20"	Blank
06x06	X	X	X										
08x08			X	X	X								
09x09					X								
10x10					X	X	X						
12x12			X		X		X	X					
14x14								X	X				
15x15								X	X				
16x16									X	X			
18x18					X		X	X	X	X	X		
20x20												X	
20.25x20.25					X		X	X	X	X			
21.5x9.5			X		X								
21.5x21.5			X		X		X	X	X	X	X	X	
22x10							X						X
22x22													X
24x24													X

SI-SRA

Side Inlet Diffuser Can

Raymon Donco



- Black Interior

Inlet Size	Can Size
6"	06x06
8"	08x08
10"	10x10
12"	12x12
14"	14x14

RTR

Round to Round Transition

Raymon Donco



- 2.5" Collar
- Galvanized Steel

Large X Small Diameter
8-6
10-8
12-10
14-12

ACCESS DOORS

ADH24

Standard Duct Access Door

Ruskin



- Sheetmetal

Sizes (LxW)		
06x06	08x08	10x10
12x12	14X14	16x16
18x18	20x20	24x24

ADR1 & ADR2

Oval Access Door

Ruskin



- For Round Duct

Size (LxW)	Duct Inlet Size
10x06	6"
10x06	8"
10x06	10"
10x06	12"
10x06	14"
10x06	16"
16x12	18"
16x12	20"
16x12	22"
16x12	24"

ACTUATORS

Belimo Actuators

Spring Returns

Belimo



- Modulating Spring Return

Product #	Voltage
TFB24-SR-RUS	24V
LF24-SR-RUS	24V
NFB24-SR	24V
TFB120	100-240V

- 2-Position Spring Return



Product #	Voltage
LF-24	24V
FSTF24	24V
FSTF120-RUS	120V
FSLF120-RUS	120V
NFBUP-RUS	24V-240V
AFBUP-RUS	24V-240V

CONTROL DAMPERS

CD60

Control Dampers

Ruskin



- Bearing Support with Rod

Size (LxW)		
10x10	12x12	14x14
16x16	18x12	18x18
20x20	24x12	24x18
24x24	30x30	36x24
36x36		

CDR82

Round Control Damper

Ruskin



- Steel Blade
- Heavy Duty Hand Quad
- Neoprene Blade Seal
- SeaTac Standard

Size (LxW)		
6"	8"	10"
12"	14"	16"

RI

Control Damper



- 24V & 120V actuators Available
- Hand Quad Available

Diameter	
6"	8"
10"	12"
14"	16"
18"	20"
22"	24"

FIRE DAMPERS

****All CFDs have an extended frame**

CFD2

Ceiling Fire Damper

Ruskin



- 165 °F Fusible Link
- Gypsum Board

Size (LxW)		
9x9	10x10	12x12
14x14	15x15	16x16
18x18	22x10	24x12

CFD3.5

Ceiling Fire Damper

Ruskin

- 165 °F Fusible Link
- Gypsum Board

Size (LxW)	
6x6	8x8

CFDR2**Round Ceiling Fire Damper**

Ruskin



- 165 °F Fusible Link
- Gypsum Board

Diameter	
12"	14"
16"	18"

CFDR3.5**Round Ceiling Fire Damper**

Ruskin

- 165 °F Fusible Link
- Gypsum Board

Diameter		
6"	8"	10"

CFDW**Warnock-Hersey Wood Stud Ceiling Rated Radiation Damper**

Ruskin

Size (LxW)		
6x6	8x8	9x9
10x10	12x12	14x14
15x15	16x16	22x10
22x22	24x12	24X24

CFD4**Ceiling Fire Damper**

Ruskin



- Fusible Link
- Galvanized Steel
- UL 555C

Size (LxW)		
20x20	22x22	24x24

DIBD2**Curtain Fire Damper**

Ruskin



- Steel

Size (LxW)	
6x6	8x8
10x10	12x12
14x14	16x16
18x18	24x24

FDR25**Round Fire Damper**

Ruskin



- 14" Sleeve

Diameter	
6"	8"
10"	12"
14"	16"
18"	24"

CFD Radiation Blankets
24"x24"x1/2"

FIRE SMOKE DAMPER

FSD36C2

Fire Smoke Damper

Ruskin



- Picture Frame Mounting Angle
- UL 555 - UL 555S Class II Leakage
- PFMA
- 20" Sleeve
- 120v Actuator
- Rated for Corridor Ceiling

Size (LxW)		
6x6	8x8	10x10
12x12	14x14	16x16
18x18	20x20	24x24

FSD37LP

Fire Smoke Damper

Ruskin



- 20" Sleeve
- 120V Actuator
- UL 555 - UL 555S Class I Leakage
- PFMA

Size (LxW)		
6x6	8X8	10X10
12X12	14X14	

FSDR25

Fire Smoke Damper

Ruskin



- Cinch Plates
- 20" Sleeves
- 120V Actuator
- UL 555 - UL 555S Class I Leakage

Diameter		
6"	8"	10"
12"	14"	16"
18"	24"	

BACKDRAFT DAMPERS

BDR

Butterfly Backdraft Damper

Famco

- Aluminum Blades



Diameter		
4"	6"	8"
10"	12"	14"
16"		

CBD2

Backdraft Damper

Ruskin



- Counter Balanced
- Horizontal Air Flow

Size (LxW)		
12x12	14x14	16x16
18x12	18x18	20x20
24x12	24x18	24x24

VOLUME DAMPERS

VFC

Volume Flow Controller

Trox



Nominal Sizes (mm)		
80	100	125
160	200	250

VFL

Volume Flow Limiter

Trox



Size	Nominal Sizes (mm)
4"	100
5"	125
6"	150
8"	200
10"	250

RT-150

Roto-Twist Remote Operated Volume Dampers

Metropolitan Air Tech

ACCESSORY OPTIONS

- W/ 24" long cable
- 2', 3', 5' extension cables
- 1' bulk cable
- Mini ceiling cup
- Worm gear
- Square to Square
- Round to square coupling
- Field cut cable end



6"	8"	12"
12"	14"	




- Constant Airflow Regulator
- Supply & Exhaust Applications
- Low Pressure

Diameter		CFM
4"		35-180
5"		35-180
6"		45-260
8"		70-385
10"		110-620



Diameter			
6"	8"	10"	12"
14"	15"	16"	18"



For Round Neck
Supply Diffusers

Diameter		
6"	8"	10"
12"	14"	16"

BALANCING DAMPERS



- 8', 15', 25' cable FS
- 10', 25', 50' extension MF
- Remote Control w/ 15" Cable
- 1 up finish surface plate
- 8 pin wall jack connector
- Universal worm gear drive

Size (LxW)		
6"	8"	10"
12"	14"	

LOUVERS

GFL800D

Aluminum Drainable Louver Channel Frame

Ruskin



MILL FINISH
BIRD SCREEN

Size (LxW)	
12x12	18x18
24x24	36x36

FSD Access Labels Available

EFL165

Electronic Fuse Link & End Switch



CURBS + VENTS

PB Curb

Square Curb

PennBarry




- 14" High
- Flat Base
- Fits Hoods & Fans

Size
17"
19"
23.25"

WCC

Roof Mounted Gravity Ventilator

PennBarry



Product #	CFM
WCC 08	700
WCC 12	1250
WCC 16	1650

EXHAUST FANS

SQX - G Plus

Centrifugal Roof Exhaust Fan

PennBarry

- Direct Drive
- EC Motors - 120V



Product #	CFM	HP
SQX070	200	1/6
SQX122	850	1/2
SQX135	1500	1/2

DOMEX (DX)

Centrifugal Roof Exhaust Fan

PennBarry

- Direct Drive
- EC Motors - 120V



Product #	CFM
DX10QGP	250
DX11QGP	744
DX13QGP	982
DX16QGP	2031


INLINE FANS

WhisperLine™

Inline Fan

Panasonic

- Remote Mount
- 4" Duct Diameter
- 120V



Product #	CFM
FV-10NLF1	120
FV-20NLF1	258

FG

Centrifugal Inline Fan

Fantech

- EC Motors
- 120 V
- MTP 10K Speed Control Available



Product #	CFM
FG 4XL EC	180
FG 6M EC	364
FG 8 EC	428
FG 10 EC	511
FG 12 EC	638
FG 12XL EC	807

CEILING VENTILATION FANS

Zyphyr G-Plus

PennBarry Fan

PennBarry



- Motor Mounted
- Fan Speed Control
- 120V EC Motor

Product #	CFM
Z8-GP	400
Z10-GP	600
Z12-GP	1000

L Series

LoSone Select® Ceiling Vent Fan

Broan-Nuton



ACCESSORIES

- 120V Speed Control
- 71V Timer

IN-LINE ADAPTERS

- 961L - 6" ROUND
- 981L - 8" ROUND

ENERGY STAR

Product #	CFM	Sones
L100	130	0.3
L200	200	1.0
L200	230	1.3
L250	270	1.5
L300	310	2.5
L500	514	3.3

Whisper Series

Panasonic Ceiling Ventilation Fans + Accessories

Panasonic



Whisper Ceiling® DC™



WhisperGreen Select®



WhisperCeiling®

Fan	Product #	CFM
Whisper Ceiling® DC™	Fv-0511VQ1	50-110
Whisper Ceiling® DC™	FC-1115VQ1	110-150
Whisper Ceiling®	FV-20VQ3	190
WhisperGreen® Select	FV-0511VK3	50/80/110
WhisperGreen® Select	FV-1115VK2	110/130/150
WhisperGreen® Select	FV-0511VKS3	30-110



SmartAction®
Module



Multi-Speed
Module



Condensation
Sensor Module

Fan	Product #	Accessory Type
WhisperGreen Select® SmartAction® Module	FV-MSVK1	Sensor
WhisperGreen Select® Multi-Speed Module	FV-VS15VK1	Multi-Speed Module
WhisperGreen Select® Condensation Sensor Module	FVCSVK1	Condensation Sensor Module

FILTERS


Pleated Filters

Camfil



30/30 DUAL 9
Pleated Panel Air Filters
MERV 9A

1"	2"	
20X16	20X16	20X16
20X20	20X20	20X20
24X12	24X12	24X12
24X24	24X24	24X24
25X20	25X20	25X20




30/30
Pleated Panel Air Filters
MERV 8
0.31" PD @ 500 FPM

2"	4"
24x12	24x12
24x24	24x24



Opti-Pac ®
Compact High Efficiency Filter

MERV 13
Close-Pleat™
24x12x04



MultiTrack 25
Mini Pleat Panel Filters

MULTI POSITION FILTER HOUSING
2", 4", OR 6" PRE FILTER
HEADER TRACK FOR 12" FINAL FILTER

12x24 24x24



Megalam ®
Duct Mini Pleat Terminal
HEPA Filters

24x24 24x48

- FOR T-BAR LAYING APPLICATIONS
- 10" DUCT COLLAR ON 24X24
- 12" DUCT COLLAR ON 24X48
- 99.99% @ 0.3 MICRONS
- CAN BE INSTALLED IN HARD LID W/ OPTION SURFACE MOUNT FRAME



DURAFIL ES
V-Bank High Capacity
MERV 14

24X12X12
24X24X12



CITYCARB E
V-Bank & Mini Pleat Filter
MERV 13

12X24X12

Koch Filters



MicroMax
Extended Minipleat Filter

12X24X4 20X24X4

Custom Cuts, Recycling, Palletizing, Bagging & Tagging, & Local Box Truck Delivery

*All common nominal sizes & custom size to order

- High Capacity options
- Blue Media Pads



Multi-Pleat XL8

MERV8


Moisture Resistant Beverage Board Frame



Multi-Pleat XL10

MERV8

Moisture Resistant Beverage Board Frame



Multi-Pleat XL11

MERV8

Moisture Resistant Beverage Board Frame



Multi-Pleat Green13

MERV13

Extended Filter Cycle



OdorKleen ES

MERV8

Carbon Media

High Order Absorption

FILTERS

Housing

Koch



Fiberglass Disposable Filter

20x20x1

20X20X1



Maxi-Grid Ring Panel Filters

MG300 - 3-PLY

24X24X2

20X20X1

MG500 - 3-PLY

12X58X1

16X58X1

HEAVY DUTY WIRE SUPPORT

Blue Media Pads



Filter Frames

Camfil



FastFrame

Filter Frame

24x12

24x24

**NO CLIPS NEEDED
WORKS WITH 1", 2", 4", & HEADER FILTERS**



Holding Frame

Filter Frame


**CLIPS 1" & 2", 3" & 4"
FOUR CLIPS NEEDED PER FRAME**

24x12

24x24

Evaporative Media

Munters



Munters Evaporative Media

GLASdek® & CELdek

ISOLATION + SEISMIC RESTRAINTS

SHR

Spring Hangers

Vibro-Acoustics



Spring Hanger with Neoprene and Bottom Cup - 1" Deflection

SHRB-SN

2.75"x2x6.25"

Rated Loads	
15 lbs	30 lbs
45 lbs	60 lbs
100 lbs	150 lbs
200 lbs	

SHRB-1N

4.25"x4x8.25"

Rated Loads	
300 lbs	500lbs



Spring Hanger with Neoprene

SHR-SN

2.75"x2x6.25"

1" Deflection

Rated Loads	
30 lbs	45 lbs
60 lbs	100 lbs

SHR-1N

4.25"x4x8.25"

1" Deflection


Rated Loads	
150 lbs	200 lbs

SHR-2N

4.25"x4x8.25"

2" Deflection

Rated Loads	
50 lbs	100 lbs
200 lbs	300 lbs
500 lbs	



Spring Hanger with Neoprene -

SFS-SA

3"x6.5"

1" Deflection

Rated Loads	
75 lbs	130 lbs
160 lbs	200 lbs
300 lbs	

SFS-2N

4"x8.5"

2" Deflection

Rated Loads	
100 lbs	200 lbs
300 lbs	400 lbs
500 lbs	600 lbs

*Vertical Uplift Stop Washers Available

www.acimechsales.com



NH-1

Neoprene Hangers
Deflection: 0.5" (9 mm)

Rated Loads	
30 lbs	60 lbs
100 lbs	

NH-2

Neoprene Hangers
Deflection: 0.4" (10 mm)

Rated Loads	
300 lbs	500 lbs

Mounts

Floor Mounts

Vibro-Acoustics



RD

Rubber-in-Shear Floor Mounts


RD-1	DEFLECTION: 0.40" 45 lbs
RD-2	DEFLECTION: 0.50" 120 lbs



SRD-1

Seismic Rubber-in-Shear Mounts
Deflection: 0.35"

Green	Max Load: 100 lbs
Black	Max Load: 200 lbs



SRB

Seismic Restraint Bracket for Floor Mounting
Tension Loads: 1000-2000 lbs


2"x2"x2"	4"x2"x2"
----------	----------



Bulletbrace™

Preassembled Adjustable
Cable Restraint Kit


BB-13	BBR-13-50	BBR-19-63
BB-19	BBR-13-63	BBR-19-88



N

Neoprene Isolation Pads
Black | Green


18"x18"



NP-45

Neoprene Plus Isolation Pads


4"x4"



VAC-1

Hanger Rod Stiffening Clamp
for Suspended Components

25ft/lbs



BC-50

Bullet Clamp
2500 lbs

HEATERS

UDX

Gas Fired Unit Heaters

Heaters



- 115V, 1PH, 60 HZ SUPPLY VOLTAGE
- 30-225 BTU
- 82-83% THERMAL EFFICIENCY


UDX-30	UDX-45
UDX-60	UDX-75
UDX-100	UDX-125
UDX-150	UDX-175
UDX-200	UDX-225
UDX-250	UDX-300

UDAP Conversion kits available

DF CF00H

Electric Duct Heater

Neptronic



2KW 10"
3KW 12"
4KW 14"
8KW 16"



TRO5404
Room Control T-Stat



STC8-11
Duct Mount Temp Sensor

Select Line Item 1: Cable Diameter, End Fitting, Cable Length

1. Choose Your Cable Diameter + End Fitting



24



30

2. Choose Your End Fitting + Cable Length



44

Swaged Loop
1/16"-1/8" Cable



8914

1/4" 90° Eyelet
3/32"-1/8" Cable



8938

3/8" 90° Eyelet
3/32"-1/8" Cable



8814

1/4" Straight Eyelet
3/32"-1/8" Cable



8838

3/8" Straight Eyelet
3/32"-1/8" Cable



3816


3/8-16 Threaded Stud
3/32"-1/8" Cable



SF

ShotFire
1/16"-3/32" Cable

3. Choose Your Cable Length



10'

120



20'

240

4. Create Your Product Number Example: GL GH-AG30-SF-120

G	L	G	H	-					-							
---	---	---	---	---	--	--	--	--	---	--	--	--	--	--	--	--

Select Line Item 2: Duct Attachment + Match Cable Diameter

1. Choose Your Duct Attachment + Match Cable Diameter



X2

Looping Gripper
1/16" - 1/8" Cable



SDC

Boot Gripper
3/32"-1/8" Cable



ST1

Strut Gripper
3/32"-1/8" Cable



ST2

Strut / Clevis Gripper
3/32"-1/8" Cable

2. Create Your Product Number Example: GL X2 1/8"

G	L			
---	---	--	--	--

MINI SPLITS

VIREO GEN 3

Single Zone Mini Split

Gree

Outdoor Unit
Cooling Range - 20°F to 122°F
Heating Range - 22° to 86°F
230V



Product #	TYPE	BHU
VIR09HP230V1BHW	INDOOR	9K
VIR09HP230V1R32AH	INDOOR	9K
VIR09HP230V1R32AO	OUTDOOR	9K
VIR12HP230V1BHW	INDOOR	12K
VIR12HP230V1R32AH	INDOOR	12K
VIR12HP230V1R32AO	OUTDOOR	12K
VIR18HP230V1BHW	INDOOR	18K
VIR18HP230V1R32AH	INDOOR	18K
VIR18HP230V1R32AO	OUTDOOR	18K
VIR24HP230V1BHW	INDOOR	24K
VIR24HP230V1R32AH	INDOOR	24K
VIR24HP230V1R32AO	OUTDOOR	24K

LIVO GEN 3

Single Zone Mini Split

Gree

Cooling Range - 4°F to 122°F
Heating Range - 13° to 75°F



Product #	TYPE	BHU
LIV30HP230V1R32AH	INDOOR	30K
LIV30HP230V1R32AO	OUTDOOR	30K
LIV30HP230V1R32AH	INDOOR	36K
LIV30HP230V1R32AO	OUTDOOR	36K

Cassette

All Match 360 degree Cassette

Gree

- High efficiency, up to 24.5 SEER / 9.5 HSPF2
- Cooling Range - 20°F to 122°F
- Heating Range - 22° to 86°F
- R32
- 4-way Discharge Air
- Multiple Fan speeds
- Internal Condensate



Product #	Airflow Range (CFM)
CAS12HP230V1R32AH	206-330
CAS18HP230V1R32AH	206-383
CAS24HP230V1R32AH	440-560
CAS30HP230V1R32AH	647-1,000

Slim Duct

All Match Slim Duct Indoor Unit

Gree

- High efficiency, up to 22.3 SEER / 9.5 HSPF2
- Cooling Range - 20°F to 122°F
- Heating Range - 22° to 86°F
- R32
- Outside Air Capability
- High ESP Capability
- Cleanable Air Filter



Product #	Airflow Range (CFM)
DUC12HP230V1R32AH	212-353
DUC24HP230V1R32AH	577-1,030
DUC30HP230V1R32AH	647-883
DUC36HP230V1R32AH	853-1,324

Multi-Zone

Outdoor Units

Gree

- High efficiency, up to 21 SEER / 10 HSPF2
- Cooling Range - 22°F to 118°F
- Heating Range - 22° to 75°F
- R32
- Intelligent Defrost
- Noise Levels: 64-63 dB(A)
- Pair with indoor units



Product #
MUL18HP230V1R32AO
MUL24HP230V1R32AO
MUL30HP230V1R32AO
MUL36HP230V1R32AO
MUL42HP230V1R32AO

CENTRAL AIR HEAT PUMPS

FLEXX

Gree

2-5 TON HIGH PERFORMANCE HEAT PUMPS

- High efficiency, up to 17 SEER / 10.5 HSPF
- Cooling Range - 20°F to 122°F
- Heating Range - 22° to 86°F
- Sound levels down to 45 dB(A) on outdoor unit
- Conventional, 24 VAC thermostat control - Heat pump compatible
- Eco-friendly R410A refrigerant
- 230V/1PH/60Hz



INDOOR EQUIPMENT

FLEXX24HP230V1AH

FLEXX36HP230V1AH

FLEXX48HP230V1AH

FLEXX60HP230V1AH

8K, 10K Heater Kits

Downflow Kits for 36K/42K & 48K/60K

OUTDOOR EQUIPMENT

2/3 TON



4/5 TON



FLEXX36AC230V1AO FLEXX60AC230V1AO

FLEXX ECO

Gree

- High efficiency, up to 15.5 SEER / 7.8 HSPF
- Cooling Range 5°F to 118°F
- Heating Range 5° to 75°F
- Sound levels down to 55 dB(A) on outdoor unit
- Conventional, 24 VAC thermostat control - Heat pump compatible
- Eco-friendly R410A refrigerant
- 230V/1PH/60Hz



INDOOR

FLEXE24HP230V1AH

FLEXE36HP230V1AH

FLEXE48HP230V1AH

FLEXE60HP230V1AH

OUTDOOR

FLEXE24HP230V1AO

FLEXE36HP230V1AO

FLEXE48HP230V1AO

FLEXE60HP230V1AO

5K, 8K, 10K, 15K Heater Kits & Available
Downflow Kits for 24K/30K

FLEXX ULTRA

Gree

- High efficiency, up to 19 SEER / 10.5 HSPF
- Cooling Range 5°F to 129°F
- Heating Range -22° to 75°F
- Sound levels down to 55 dB(A) on outdoor unit

Cased Coils

GR FLEXX36C

GR FLEXX48C

GR FLEXX60C



INDOOR

FXU36HP230V1R32AH

FXU30HP230V1R32AH

OUTDOOR

FXU36HP230V1R32AO

FXU60HP230V1R32AO



VRF + MINI SPLIT OPTIONS



GR Thermostat Wire
4 conductors
18 AWG



EZ-IN Shielded Cable
1"
600V



Diversiwhips
1/2"x4'
Metallic Connectors



HEF-T-Bracket™
Wall Bracket
21"



QSMS2400
Mini Split Roof-top
Stand



Braided Vinyl Tubing
5/8"
100'



Wall Penetration Sleeve - 2-1/2"



Surge-Trap®
Split Phase surge
protection device
Type 1 / 50kA



Equipment Pad
Flexx ODU
24x42x3"



Starter Kit
30 AMP



Starter Kit
60 AMP




Equipment Pad
Kinghome Mini Splits
18x38x3"

SpeediChannel™



90 ° Inside Elbow
For Lineset routes



90 ° Outside Elbow
For Lineset routes



Wall Cap
For capping
channel end



Coupler
Joining two
channels



Penetration Wall Starter
channel to wall
penetration
transition



Lineset Cover
Clips included

Reducer Coupling Available : 3/8x1/4" 1/2x3/8" 5/8x1/2"

Linesets

Mini Splits & VRF



14X12X34X15'
14X12X34X25'
14X12X34X50'
14X38X34X15'
14X38X34X25'
14X38X34X50'
14X58X34X15'
14X58X34X25'
14X58X34X50'
38X34X34X25'
38X34X34X50'

Gobi II

Condensate Pumps



6K BTU - 120K BTU

VFD

Z1000

AC Drive

Yaskawa

Enclosure Type:

- NEMA 1
- IP20

Product #	HP	Rated Output Current (AMPS)	Voltage
CIMR-ZU2A0011FAA	3	10.6	208V
CIMR-ZU2A0017FAA	5	16.7	208V
CIMR-ZU2A0031FAA	10	30.8	208V
CIMR-ZU2A0046FAA	15	46.2	208V
CIMR-ZU4A0005FAA	3	4.8	408V
CIMR-ZU4A0008FAA	5	7.6	408V
CIMR-ZU4A0011FAA	7.5	11	408V
CIMR-ZU4A0014FAA	10	14	408V
CIMR-ZU4A0021FAA	15	21	408V



H6BP

HV600 Narrow Bypass

Yaskawa

- **UL TYPE 1**



Product #	HP	Rated Output Current (AMPS)	Voltage
H6BPB007PM	5	7.6	480V
H6BPB014PM	10	14	480V
H6BPB021PM	15	21	480V
H6BPB027PM	20	21	480V
H6BPB040PM	30	40	480V
H6BPB052PM	40	52	480V
H6BPB065PM	50	65	480V

HV600

AC Drives

Yaskawa

- **IP20/UL TYPE 1**



Product #	HP	Rated Output Current (AMPS)	Voltage
HV60U2011CFA	3	10.6	208V
HV60U2017CFA	5	16.7	208V
HV60U2024CFA	7.5	24.2	208V
HV60U2031CFA	10	30.8	208V
HV60U2046CFA	15	46.2	208V
HV60U2059CFA	20	59.4	208V
HV60U4005CFA	3	4.8	480V
HV60U4008CFA	5	7.6	480V
HV60U4014CFA	10	14	480V
HV60U4021CFA	15	21	480V
HV60U4027CFA	20	27	480V
HV60U4034CFA	25	34	480V
HV60U4040CFA	30	40	480V
HV60U4052CFA	48	52	480V
HV60U4065CFA	50	65	480V
HV60U4077CFA	60	77	480V

THERMOSTATS, GAUGES + VALVES

Thermostats

Wall Thermostats

King



K101-C Thermostat

- Cooling only single pull stat



K302PE Programmable Thermostat

- Dual Voltage
- 7-Day Programmable

Gauges

Air Filter Draft Gauges

Dwyer



- MAG ASF - ADJUSTABLE SIGNAL FLAG
- RED GAUGE OIL
- MOUNTING KIT AVAILABLE A605

Product #	Pressure Range
MAG2001 - ASF	0 to 1.0 in H ₂ O
MAG2002 - ASF	0 to 2.0 in H ₂ O
MAG2003 - ASF	0 to 3.0 in H ₂ O

Valves

Full Port Ball Valve with Sharader

NDL



Model	Size
NBV02	1/4"
NBV03	3/8"
NBV04	1/2"
NBV05	5/8"
NBV06	3/4"
NBV07	7/8"

Notice:

While we endeavor to maintain adequate inventory to meet demand, view available stock online or contact your sales representative to ensure availability of specific items. Please pick up your order as soon as possible as the warehouse operates on a first-come-first served basis.

Terms and Conditions

Prices: All prices are FOB our warehouse. Prices subject to change without notice.

Credit and Terms of Payment: 1% 10, Net 30 days from date of our invoice for customers and approved credit. A service charge of 1.5% per month will be charged and collected on all past due account balances. A 1.9% surcharge on all Credit Card Transactions, which is not greater than our cost of acceptance. Debit Cards are not surcharged.

Taxes: Washington sales tax will be added to each sales unless a sales tax license or valid tax exemption certificate is on file.

Freight: Prices are FOB our warehouse. All freight charges will be billed freight collect or added to the invoice at the customer's request.


Claims: Claims for damage, shortage or loss in transit must be filed by the Buyer against the carrier. (We will assist in establishing claims for damage and/or loss in transit). All claims must be noted at time of delivery.

Warranties: Air Commodities extends to buyer the manufacturer's standard warranty, a copy of which is available upon request

Return of Goods: Goods may not be returned without the authorization of Air Commodities, and may be subject to restocking charges. All materials shall be returned freight pre-paid. Special order materials are not returnable for credit.

Title: The title to all materials and/or equipment and to any and all additions and accessories thereto and substitutions therefore shall remain with seller until the purchase price therefor is paid in full.



UNIQUE ATTRIBUTES



CORE VALUES

Be Credible Think **Big**, Be **Bold**
 Do The Right Thing Own It Thrive Together
 WOW Every Customer **Have Fun**

THE ACI WAY: FIVE STEP PROCESS



ACI ADDS VALUE TO EVERY STEP OF THE PROCESS - ASSISTING ALL KEY STAKEHOLDERS



MECHANICAL & HVAC SALES
HELPING BUILDINGS THRIVE

100% Employee Owned

www.acimechsales.com
shop.acimechsales.com

ACI Seattle Office
6100 6th Avenue South
Seattle, WA 98108
(206) 767-2600

ACI Portland Office
6821 NE Columbia Blvd
Unit #14
Portland, OR 97232
(503) 238-6900

ACI Spokane Office
3633 East Rowan Avenue
Spokane, WA 99217
(509) 467-8082

